Haier Biomedical
Intelligent Protection of Life Science

# Pharmacy Refrigerator

## HLM-320




## Scope of Application :

Suitable for the storage of biological products and items that need to be stored at 2° C ~8° C temperature. This product is applicable to pharmacies, epidemic prevention stations, and health centers as key examples.

## Innovative Design

- Green Environmental Protection
- Large Capacity
- Ergonomics Design
- Digital Display with 0.1 Precision
- Small Foot Print
- Best in Class Performence

AWTech
Advanced Worldwide Technologies

127566 Россия, Москва,
Алтуфьевское шоссе, дом 48, корпус 1
+7 (499) 346-74-93
info@awt.ru
**www.haierrus.ru**

## Product Advantages



### Green Environmental Protection

The unit is designed and manufactured with a hydrocarbon compressor and hydrocarbon refrigerant resulting in an eco-friendlier refrigeration system

### Large Capacity

323L large capacity storage space

### Superior Performance

Indoor temperature is precisely controlled between 2°C to 8°C

### Ergonomic Design

- Built-in lighting
- 4 adjustable shelves
- Door seals are removable
- Professional and elegant appearance
- Built-in door handle, no need for aftersales maintenance

## Product Parts Diagram



Digital display:
Display precision is 0.1

Built-in fan for better air flow and superior temperature uniformity

LED lighting

4 adjustable internal shelves


Built-in door handle

Double-layer glass door


2 Casters and 2 adjustable leveling legs for ease of maneuvering and positioning

## Temperature Curve at 32°C Ambient Temperature


### Cool Down Curve





### Warm Up Curve




### Stability Curve




## Product Dimensions




| | Width (mm) | Depth (mm) | Height (mm) |
|---|---|---|---|
| Exterior Size | 620 | 615 | 1838 |
| Interior Size | 532 | 445 | 1330 |

## Technical Parameters

| Model | Power Supply (V/Hz) | Power (W) | External Dimensions (W*D*H)(mm) | Internal Dimensions (W*D*H)(mm) | Effective Volume (L) | N.W/G.W (kg) | Shelf |
|---|---|---|---|---|---|---|---|
| HLM-320 | 220~240, 50 | 260 | 620*615*1838 | 532*445*1330 | 323 | 65/75 | 4 |